



# Prevalence of Overweight and Obesity among Medical Students across Indonesia: A Literature Review

Yusias Hikmat Diani <sup>a\*</sup>, Silphia Novelyn <sup>b</sup>, Jap Mai Cing <sup>c</sup>,  
Trini Suryowati <sup>c</sup>, Christina R. L. Aritonang <sup>d</sup>,  
Ekarini Daroedono <sup>a</sup> and Anggie Tri Andiani <sup>e</sup>

<sup>a</sup> Department of Community Medicine, Faculty of Medicine, Universitas Kristen Indonesia, Jakarta, Indonesia.

<sup>b</sup> Department of Anatomy, Faculty of Medicine, Universitas Kristen Indonesia, Jakarta, Indonesia.

<sup>c</sup> Department of Biochemistry, Faculty of Medicine, Universitas Kristen Indonesia, Jakarta, Indonesia.

<sup>d</sup> Department of Neurology, Faculty of Medicine, Universitas Kristen Indonesia, Jakarta, Indonesia.

<sup>e</sup> Faculty of Medicine, Universitas Kristen Indonesia, Jakarta, Indonesia.

## Authors' contributions

This work was carried out in collaboration among all authors. Author YHD designed the study, wrote the protocol, and wrote the first draft of the manuscript. Authors SN and JMC managed the analyses of the study. Authors TS and CRLA performed the statistical analysis and making the entire figure. Author ATA conducted the initial literature searches. All authors read and approved the final manuscript.

## Article Information

DOI: 10.9734/AJOB/2023/v18i2341

## Open Peer Review History:

This journal follows the Advanced Open Peer Review policy. Identity of the Reviewers, Editor(s) and additional Reviewers, peer review comments, different versions of the manuscript, comments of the editors, etc are available here: <https://www.sdiarticle5.com/review-history/99826>

Review Article

Received: 01/04/2023

Accepted: 06/05/2023

Published: 10/05/2023

## ABSTRACT

**Aim:** To make profiling of the prevalence of overweight and obesity among medical students in Indonesia through a literature search on previous scientific publications in the internet, then creating a map showing the spread of this silent epidemic among medical students.

\*Corresponding author: E-mail: [yusias.diani@uki.ac.id](mailto:yusias.diani@uki.ac.id);

**Methodology:** Simple internet based literature study cross sectionally search for previous published scientific articles available only on the internet, regarding overweight or obesity among medical students from different faculty of medicine in Indonesia. This study conducted from January to March 2023. Using famous search engine, Google™, we type several keywords regarding overweight and obesity among medical students in Indonesia.

**Results and Discussion:** Data from 29 published articles obtained electronically. The mean percentage of overweight and obese students is 35.5% and found in both public or private medical schools; where private schools have a slightly higher mean percentage of prevalence than the public ones. Even though there are 92 medical schools across Indonesia, it turns out that not all have such data uploaded to the internet. From the health communication perspective, this is also barriers that must be overcome.

**Conclusion:** Overweight and obesity among medical students of Indonesia is a real problem that must be managed properly in order to ensure that, these students stay healthy, can complete their education and then become doctors who serve the community.

*Keywords: Anatomy; body mass index; body image; waist circumference; public; private; health communication.*

## 1. INTRODUCTION

The incidence of overweight and obesity has increased rapidly during recent decades [1]. It affects his/her anatomy and physiology directly; and further also might influences his/her personal perception and possibly also other people's regarding his/her body image, The number of obese children and adolescents (aged five to 19 years) worldwide has risen tenfold in the past four decades [1]. Overweight and obesity could reflect an energy imbalance which there is an increase in the consumption of energy-dense foods [2], especially highly processed carbohydrates (refined carbs) [3], which lead to weight gain [4] and poor lifelong health outcomes. [5] Overweight and obesity are associated with unhealthy lifestyle, at any age [6,7] and increases the risk of several debilitating, and deadly diseases, e.g., dyslipidemia [8], diabetes [9], cardiovascular disease [10,11] stroke [12] and even certain types of cancers [13] and its survival outcomes due to cancer also influenced by the presence or absence of obesity [14].

An individual is considered overweight if her/his body mass index (BMI) is 25-29.9, and obese if BMI is over 30 [15]. Overweight and obesity is a true personal and public health problem, and if taken into a wider perspective also being a huge population-based policy problem [16] because of its increasing incidence [17], expenditures [18], stigma and discrimination [19] and health effects [5,8-14]. The dynamics of life in a certain community [20], especially in urban areas [21], affect the incidence of overweight and obese.

Regarding the specificity of a certain population, obesity and overweight also varies in number, based on the singularity of that specific population [22]. To our concerns, medical students as specific population are also part of a general community that has its own uniqueness. Usually, they come from families with a strong financial background and perhaps have been accustomed to consuming excess amounts of nutritious food since childhood. As an addition to that background, the dynamics of medical education which are tough, expensive and take a long time to finish; for example, education and examination periods for pre-clinical students and clinical rotation periods with night shifts at the hospital/public health center for clinical students that surely affect their sleep quality. This becomes a primary stress factor that exacerbates eating behavior. Also the existence of non-educational challenges such as personal social life, e.g. parental/family/community high expectations, which adds to the burden that makes him/her more permissive to excessive eating. Besides, there is a possibility, they do not have sufficient choices of healthy food during his/her educational dynamics, for example during night shift in their clinical rotation.

The report on prevalence of overweight and obesity among medical students was sporadic, globally, regionally and locally; what has been reported looks more like an iceberg phenomenon. This is unfortunate because so much high hope is placed on this specific population. In the context of Indonesia, what is sometimes forgotten is that medical education is not only rely on the role of parents in a financial context, but also medical faculties as educational

institution which are bound by strict regulations outlined by the government, for example the maximum number of students that can be accepted each year based on the results of institutional accreditation. Another worrying fact is that, even at this time, Indonesia still lacks 130,000 doctors to meet the ideal ratio of doctors: population; [23] while maximum in a year, the faculty of medicine in Indonesia can only produce maximum 12000 doctors per year; so it took at least 11 years to catch up to the normal ratio [24]. That is why there is very high expectation for medical students so that they will stay healthy and be able to serve the people who need their services immediately after completing their education.

The aim of this study is to make profile of the prevalence of overweight and obesity among medical students in Indonesia through a literature search on previous scientific publications in the internet, then putting some numbers on an existing map of Indonesia showing the spread of this silent epidemic among medical students.


## 2. METHODOLOGY

This simple internet based literature study cross sectionally search for previous published scientific articles available on the internet regarding overweight or obesity among medical students from different faculty of medicine in Indonesia. This study conducted from January to

March 2023. Using famous search engine, Google™, we type the sentence “Prevalence of Overweight and Obesity among medical students in Indonesia”, “Incidence of Overweight Obesity in Indonesia medical student”, “Prevalensi Overweight dan Obesitas mahasiswa kedokteran Indonesia”, “Insidens Overweight dan Obesitas mahasiswa kedokteran Indonesia”, “Overweight dan Obesitas pada mahasiswa kedokteran Indonesia” and “Overweight dan Obesitas dikalangan mahasiswa fakultas kedokteran di Indonesia”. We used combination of both English and bahasa when we input the search terms into the search engine in order to expand the horizon of searching. Potential articles that contain the prevalence or incidence or any information regarding overweight and or obesity that match with the inclusion criteria were screened manually and checked carefully. Articles that met our inclusion criteria then given a number, sorted once again, then marked the sections that have data on overweight and obesity, then put the data into the table. Articles that did not meet our inclusion criteria were excluded from the study.

## 3. RESULTS AND DISCUSSION

This simple study was conducted from January to March 2023. Using electronic literature searching via popular search engine, we managed to collect 57 potential articles, then after carefully screened the number of articles remaining for further analysis were 29 articles.



**Fig. 1. Articles collected through popular search engine Google™ using several sentences in order to expand the horizon of searching. After potential articles are obtained (n=57), narrowed to 34 articles subjectively. Further carefully screening is conducted using inclusion criteria and a total number of 29 articles meet the inclusion criteria**

**Table 1. Summary of prevalence of overweight and obesity among medical students across Indonesia**

No	Author [Ref no] (year)	Location	Med school (public or private)	Prevalence of overweight and obesity (%)	Detailed description
1	Afdhilah [26] (2012)	Banda Aceh, Aceh	Public	31.6	Determination of overweight and obesity based on the criteria of body mass index, waist circumference and neck circumference
2	Lestari [27] (2012)	Medan, North Sumatera	Public	20.01	Data anthropometry, nutrient intake and physical activity were analyzed to determine the dominant factors that influence obesity.
3	Irfan [28] (2022)	Medan, North Sumatra	Private	40.8	Data regarding consumption patterns of sugary drinks and the incidence of obesity were analyzed to seek for correlation
4	Sinaga [29] (2015)	Pekan Baru, Kepulauan Riau	Public	40.1	The relationship between sleep quality and obesity
5	Halim [30] (2018)	Jambi, Jambi	Public	40	To determine the daily fluid intake and nutritional status
6	Utami [31] (2015)	Palembang, South Sumatra	Private	32.7	Determination of the association of factors (gender, genetic, diet, physical activity) with overweight and obesity
7	Soputra [32] (2018)	Palembang, South Sumatra	Public	23.5	To determine the relationship of obesity and blood uric acid levels
8	Bastha [33] 2022	Bandar Lampung lampung	Public	38.7	To find a relationship between sedentary lifestyle and eating habits and the nutritional status of students during the pandemic.
9	Diani [34] 2018	Jakarta, DKI Jakarta	Private	35.5	To determine the relationship of gender, parental's nutritional status, place of residence status, diet pattern, sleep duration and physical activity to the student's obesity condition
10	Andalu [35] (2015)	Jakarta, DKI Jakarta	Public	22.7	To determine whether there is a relationship between coffee consumption mix with central obesity or not.
11	Santoso [36] (2017)	Jakarta, DKI Jakarta	Private	26.1	To find out the prevalence of obesity among medical student using body mass index and waist circumference
12	Azzahra [37] (2020)	Jakarta, DKI Jakarta	Public	58.6	To determine the relation of high body mass index (obesity) and the incidence of flat feet
13	Liwanto [38] (2021)	Jakarta, DKI Jakarta	Private	57.5	To see the relationship between the consumption of sugar intake in soft drinks to the incidence of obesity

No	Author [Ref no] (year)	Location	Med school (public or private)	Prevalence of overweight and obesity (%)	Detailed description
14	Monzalitza [39] (2020)	Jakarta, DKI Jakarta	Private	46.8	To assess the relationship between fruit intake and body mass index
15	Noviana [40] (2021)	Bandung, West Java	Private	46.9	To find the correlation between steps and body mass index
16	Djunet [41] (2021)	Yogyakarta, DI. Yogyakarta	Private	31	To determine the student obesity rates after a year of online learning
17	Khotibuddin [42] (2017)	Yogyakarta, DI. Yogyakarta	Private	28.6	To determine the relationship between depression and eating behavior with overweight
18	Adianto [43] (2015)	Surabaya, East Java	Private	38.75	To identify the relationship between stress and obesity
19	Ganakin [44] (2017)	Surabaya, East Java	Private	33.66	To analyze the relation between sleep quality and the condition of obesity
20	Rachmawati [45] (2020)	Malang, East Java	Private	47.5	To examine the association of sleep duration with dietary intake, physical activity and obesity
21	Mahalingam [46] (2016)	Denpasar, Bali	Public	37.3	To determine the prevalence of obesity and factors contributes to obese
22	Cholidah [47] (2020)	Mataram, Nusa Tenggara Barat	Public	13.63	To determine the eating pattern, nutrition adequacy, and nutritional status
23	Purwanti [48] (2017)	Pontianak, West Kalimantan	Public	48.1	To determine the correlation between stress level and body mass index
24	Sari [49] (2021)	Samarinda, East Kalimantan	Public	37.6	To analyze the correlation between body mass index and waist circumference with the quality of sleep
25	Ticoalu [50] (2012)	Manado North Sulawesi	Public	32.2	To find out the prevalence of obesity
26	Sakina [51] (2021)	Palu, Central Sulawesi	Public	44	To describe the determinant factors of vitamin d status according to their nutritional status based on bmi
27	Rajab [52] (2019)	Makassar, South Sulawesi	Public	34.35	To find the prevalence of overweight-obesity
28	Billah [53] (2020)	Makassar, South Sulawesi	Private	19.8	To find the correlation between consumption of fast food with the risk of obesity
29	Ramandei [54] (2022)	Sorong, West Papua	Public	31.8	To determine the relationship between body mass index and grasping strength

Currently, there are currently 92 active institutes of higher education (including both public and Private institutions) that run medical school from all over Indonesia. These provinces Bangka

Belitung, North Kalimantan, and West Sulawesi do not have any medical school program on their own province [25]. Unfortunately, even though there are many medical educational institutions

in Indonesia (90+), our internet based searching revealed that only some of them have published data regarding students who are overweight or obese.


Data were collected from only 29 medical faculties, even though to date there are actually 92 medical faculties throughout Indonesia. The highest percentage comes from Azzahra's research [37] in Jakarta in 2020 which has a prevalence of 58.6% and the lowest prevalence (13.63%) obtained from the study conducted by Cholidah [47] in Mataram. Overall, the mean percentage of overweight and obese obtained from the sum of the percentages of each medical school divided by the number of institution (as many as 29) the result is 35.85% (SD 10.73).

The box plot showed in Fig. 2 revealed that, the mean percentage of overweight and obese students of private faculty of medicine is higher than those from the public institution (37.35% vs 34.63%). This gives us an idea that in a rough way it can be said that the nutritional status of students from private institution is very, very good or even excessive. This makes sense, because in order to enroll into private faculty of medicine requires a lot of money for institutional fees and only wealthy families can accommodate such an enormous cost requirements. Although cases of overweight and obesity are also found in state students; the cause could also be because the student came from a wealthy family or it might also be caused by other things. We have to admit that drawing causal conclusions from incomplete data is actually too naïve; even


though Templit et al. [55] stated that in low to middle-income countries, the prevalence of overweight and obesity is higher among wealthier individuals than among poorer individuals.

Another aspect of the weakness in this simple cross-sectoral study is that all data obtained from literature searching is of an as-is nature. Perhaps, a more meaningful conclusions can be drawn if students are followed by cohort design along their education period from start to finish. Unfortunately, according to Vogel [56], until nowadays weight gain during medical education is poorly studied. All the five main conditions that take part to emotional eating among medical freshman undergraduates — (1) perceived stress [57], (2) unpredictable schedules [58], (3) lack of sleep [59], (4) physical inactivity [60], (5) unsupportive social interactions [61] — apply to an “augmented degree” in medical school, to their internship and then continue to get worse during their future postgraduate training or specialties [62].

Fig. 3 showed us, that out of 29 publications obtained from the internet, their distribution across Indonesia already sufficiently distributed. Although actually there are still several big cities in Indonesia that have faculties of medicine, state and private, but unfortunately their data is not found on the internet. That could possibly happen because: (1) the search keywords are not sufficient, (2) the data is locked/access is very limited or even (3) data was not uploaded to the internet.



**Fig. 2. Box plot the difference of percentage of overweight and obesity among private (n=13) vs public (n=16) faculty of medicine (n=29)**



**Fig. 3. Map of Indonesia with additional numbers that represent articles in Table 1**

Those studies were conducted in 19 big cities located in 18 provinces which have faculty of Medicine, some city even have more than one faculty of Medicine. Actually, there are 34 provinces in Indonesia and only 3 provinces (Bangka Belitung, North Kalimantan and West Sulawesi) that do not have any medical school program on their own province

From the health communication perspective, it is very unfortunate that even though there are so many medical faculties in Indonesia, unfortunately not all of the data regarding simple prevalence of overweight and obesity can be accessed easily. This unintentional restriction is probably due to barriers to data sharing that commonly occur in all aspects of data, including health/medicine, ranging from simple tangible issues such as technical aspects, to the more intangible issues such as motivational, economic, political, legal and even ethical [63]. There are potential risks and challenges of data access and sharing; including (1) obstacles to releasing data, (2) privacy and confidentiality problems, and (3) informed-consent issues. It is necessary to carry out system and sectoral improvements, with more intensive communication between all stakeholders so that they can overcome the previously mentioned barriers [64,65].

Unfortunately, overweight and obesity among medical students across Indonesia is a real

problem and that must be carefully managed. Increasing frequency of obesity associated with unhealthy lifestyle needs to be controlled at national level to raise a healthy generation and to reduce the burden on the health economy. Health personnel are important promoters and role models for maintaining a healthy lifestyle for the general population. From the very beginning of their medical education, they have been taught and trained to practice the spirit of health promotion. The actual investment for them is very large and therefore all stakeholders hope that they can practice a healthy lifestyle since their very early educational period ceaselessly; so that they can continue to be healthy and optimal to serve the people who need their medical services. In this case, the noble values of medicine are practiced.

#### 4. CONCLUSION

A marked proportion of Indonesian medical students were overweight or obese. A variety of

factors are implicated as contributing factors to this condition. Achieving the data electronically through the internet is also still a problem. Improvements need to be taken in health communication related to data and also handling cases of obesity and overweight must be managed properly to keep these future doctors continue to be healthy and ready to serve the community.

## ACKNOWLEDGEMENTS

Authors would like to thank Dr Forman Erwin Siagian (Dept. of Parasitology and The Center of Biomedic Research, Faculty of Medicine, Universitas Kristen Indonesia, Jakarta-Indonesia, who provided assistance in manuscript preparation.

## COMPETING INTERESTS

Authors have declared that no competing interests exist.

## REFERENCES

1. Anonymous. Tenfold increase in childhood and adolescent obesity in four decades: new study by Imperial College London and WHO. *Saudi Med J*. 2017;38(11):1162–3.
2. Spinelli S, Monteleone E. Food Preferences and Obesity. *Endocrinol Metab (Seoul)*. 2021;36(2):209-219. Available:https://doi.org/10.3803/EnM.2021.105.
3. Bradley P. Refined carbohydrates, phenotypic plasticity and the obesity epidemic. *Med Hypotheses*. 2019;131:109317. Available:https://doi.org/10.1016/j.mehy.2019.109317.
4. Ludwig DS, Apovian CM, Aronne, LJ. Competing paradigms of obesity pathogenesis: Energy balance versus carbohydrate-insulin models. *Eur J Clin Nutr*, 2022; 76:1209–21. Available:https://doi.org/10.1038/s41430-022-01179-2
5. Jalinia S, Qorbani M, Peykari N, Kelishadi R. Health impacts of Obesity. *Pak J Med Sci*. 2015;31(1):239-42. Available:https://doi.org/10.12669/pjms.311.7033.
6. Ma Y, Wu H, Shen J, Wang J, Wang J, Hou Y. Correlation between lifestyle patterns and overweight and obesity among Chinese adolescents. *Front Public Health*. 2022;10:1027565. Available:https://doi.org/10.3389/fpubh.2022.1027565
7. Cha E, Akazawa MK, Kim KH, Dawkins CR, Lerner HM, Umpierrez G, Dunbar SB. Lifestyle habits and obesity progression in overweight and obese American young adults: Lessons for promoting cardiometabolic health. *Nurs Health Sci*. 2015;17(4):467-75. Available:https://doi.org/10.1111/nhs.12218.
8. Feingold KR. Obesity and Dyslipidemia. [Updated 2020 Nov 2]. In: Feingold KR, Anawalt B, Blackman MR, et al., editors. *Endotext* [Internet]. South Dartmouth (MA): MDText.com, Inc.; 2000. Available:https://www.ncbi.nlm.nih.gov/books/NBK305895/
9. Chobot A, Górowska-Kowolik K, Sokołowska M, Jarosz-Chobot P. Obesity and diabetes-Not only a simple link between two epidemics. *Diabetes Metab Res Rev*. 2018;34(7):e3042. Available:https://doi.org/10.1002/dmrr.3042
10. Shariq OA, McKenzie TJ. Obesity-related hypertension: A review of pathophysiology, management, and the role of metabolic surgery. *Gland Surg*. 2020;9(1):80-93. DOI:https://doi.org/10.21037/gs.2019.12.03
11. Powell-Wiley TM, Poirier P, Burke LE, Després JP, Gordon-Larsen P, Lavie CJ, et al.; American Heart Association Council on Lifestyle and Cardiometabolic Health; Council on Cardiovascular and Stroke Nursing; Council on Clinical Cardiology; Council on Epidemiology and Prevention; and Stroke Council. Obesity and Cardiovascular Disease: A Scientific Statement from the American Heart Association. *Circulation*. 2021;143(21):e984-e1010. Available:https://doi.org/10.1161/CIR.0000000000000973.
12. Quiñones-Ossa GA, Lobo C, Garcia-Ballesteras E, Florez WA, Moscote-Salazar LR, Agrawal A. Obesity and Stroke: Does the Paradox Apply for Stroke? *Neurointervention*. 2021;16(1):9-19. Available:https://doi.org/10.5469/neuroint.2020.00108.
13. Avgerinos KI, Spyrou N, Mantzoros CS, Dalamaga M. Obesity and cancer risk: Emerging biological mechanisms and



- perspectives. *Metabolism*. 2019;92:121-135.  
Available:<https://doi.org/10.1016/j.metabol.2018.11.001>
14. Petrelli F, Cortellini A, Indini A. Association of obesity with survival outcomes in patients with cancer: A systematic review and meta-analysis. *JAMA, Netw Open*. 2021;4(3):e213520.  
Available:<https://doi.org/10.1001/jamanetw.orkopen.2021.3520>
  15. Zierle-Ghosh A, Jan A. Physiology, Body Mass Index. [Updated 2022 Sep 11]. In: *Stat Pearls* [Internet]. Treasure Island (FL): Stat Pearls Publishing; 2023.  
Available:<https://www.ncbi.nlm.nih.gov/books/NBK535456/>
  16. Tiwari A, Balasundaram P. Public health considerations regarding obesity. [Updated 2023 Mar 8]. In: *Stat Pearls* [Internet]. Treasure Island (FL): Stat Pearls Publishing; 2023.  
Available:<https://www.ncbi.nlm.nih.gov/books/NBK572122/>
  17. Agha M, Agha R. The rising prevalence of obesity: part A: impact on public health. *Int J Surg Oncol (N Y)*. 2017;2(7):e17.  
<https://doi.org/10.1097/IJ9.000000000000017>.
  18. Cawley J, Biener A, Meyerhoefer C, Ding Y, Zvenyach T, Smolarz BG, Ramasamy A. Direct medical costs of obesity in the United States and the most populous states. *J Manag Care Spec Pharm*. 2021; 27(3):354-66.  
Available:<https://doi.org/10.18553/jmcp.2021.20410>.
  19. Fulton M, Srinivasan VN. Obesity, Stigma And Discrimination. [Updated 2023 Mar 13]. In: *Stat Pearls* [Internet]. Treasure Island (FL): Stat Pearls Publishing; 2023.  
Available:<https://www.ncbi.nlm.nih.gov/books/NBK554571/>
  20. Thomas DM, Weedermann M, Fuemmeler BF, Martin CK, Dhurandhar NV, Bredlau C, Heymsfield SB, Ravussin E, Bouchard C. Dynamic model predicting overweight, obesity, and extreme obesity prevalence trends. *Obesity (Silver Spring)*. 2014; 22(2):590-7.  
Available:<https://doi.org/10.1002/oby.20520>.
  21. Congdon P. Obesity and Urban Environments. *Int J Environ Res Public Health*. 2019;16(3):464.  
Available:<https://doi.org/10.3390/ijerph16030464>.
  22. Annunziato R, Calogero R, Sysko R, Addressing Obesity in Special Populations. *Journal of Obesity*. 2014;171208.  
Available:<https://doi.org/10.1155/2014/171208>.
  23. Firdaus A, Ruhman F. Ministries cooperate to achieve doctor population ratio recommendation. ANTARA Indonesian News Agency; 2022.  
Available:<https://en.antaranews.com/news/239049/ministries-cooperate-to-achieve-doctor-population-ratio-recommendation>
  24. Wardani DA. Indonesia needs 10 more years to be able to meet the ideal ratio of doctors, Ministry Of Health Says; 2022.  
Available:<https://voi.id/en/news/158710>
  25. Anonymous. List of medical schools in Indonesia.  
Available:[https://en.wikipedia.org/wiki/List\\_of\\_medical\\_schools\\_in\\_Indonesia](https://en.wikipedia.org/wiki/List_of_medical_schools_in_Indonesia)
  26. Afdhilah M. Anthropometric Profile of the Faculty of Medicine, University of Syiah Kuala. Banda Aceh. thesis. Syiah Kuala University; 2012.  
Available:<https://guides.library.uq.edu.au/referencing/vancouver/theses>
  27. Lestari S. Risk factors causing obesity in USU Medical Faculty Students in 2011. Medan. Thesis. University of Northern Sumatra; 2012.  
Available:<https://repositori.usu.ac.id/handle/123456789/41563?show=full>
  28. Irfan M, Ayu MS. The Relationship between consumption patterns of sugary drinks and obesity in UISU Faculty of Medicine Students in 2022. *Ibnu Nafis Medical Journal*. 2022;11(1):31-6.  
Available:<https://doi.org/10.30743/jkin.v11i1.370>
  29. Sinaga YY, Gratisari E, Ernalia Y. The Relationship between Sleep Quality and Obesity in Faculty of Medicine, University of Riau, Class of 2014. *Jom FK*; 2015; 2(2):1-8.
  30. Halim R, Mardiyah MH. Description of Fluid Intake and Nutritional Status of Medical Students at Jambi University. *JMJ*, 2018;6(1):68-75.
  31. Utami TA, Nim. Factors associated with obesity in students of the faculty of medicine, University of Muhammadiyah Palembang, Class of 2011-2014. Palembang. Thesis, Palembang Muhammadiyah University; 2015.  
Available:[http://repository.um-palembang.ac.id/view/creators/TRI\\_ANGG](http://repository.um-palembang.ac.id/view/creators/TRI_ANGG)

- UN\_UTAMI=3ANIM=2E\_702011032=3A=3  
A.html
32. Soputra EH, Sinulingga S, Subandrate. The Relationship between Obesity and Blood Uric Acid Levels in Students of the Medical Education Study Program, Faculty of Medicine, Sriwijaya University. *SJM*, 2018;3(1):193-200. Available: <https://doi.org/SJM.v1i3.35>
  33. Bastha SM. The relationship between sedentary behavior and eating habits with nutritional status in the pandemic era in Students of the Faculty of Medicine, University of Lampung, Class of 2020-2022. Bandar Lampung. thesis. Lampung University; 2022. Available: <http://digilib.unila.ac.id/70908/3/3.%20SKRIPSI%20TANPA%20BAB%20PEMBAHASAN.pdf>
  34. Diani YH. Factors Associated with Obesity in Indonesian Christian University Medical Faculty Students. *WIDYA Scientific Journal*. 2018;5(1):1-5.
  35. Andalu N. Central obesity in male students of the Faculty of Medicine, University of Indonesia and its relationship with mixed coffee consumption. Jakarta. Thesis. University of Indonesia; 2015. Available: <https://lib.ui.ac.id/detail?id=20421260&location=lokal>
  36. Santoso AH, Karjadidjaja I, Charissa O. Mapping body mass index and waist circumference as obesity indicators Among College Students. *Journal of Muara Science, Technology, Medicine and Health Sciences Journal*. 2017;1(2):23-8.
  37. Azzahra S, Agustini D, Citrawati M. The relationship between high body mass index (obesity) and the incidence of flat feet in students of the Faculty of Medicine UPN Veterans Jakarta Academic Year 2019/2020. *Anatomical Medical Journal*. 2020;3(3):128-36.
  38. Liwanto G, Santoso AH. The relationship between sugar intake in soft drinks and obesity in Students of the Faculty of Medicine, Tarumanagara University. *Journal of Muara Medika and Clinical Psychology*. 2021;1(1):1-9
  39. Monzalitza A, Asiah N. The relationship between fruit consumption and the risk of obesity in students of the Faculty of Medicine, University of YARSI. *Pharma Medika Health Magazine*, 2020;12(1):39-44
  40. Noviana I, Prawiradilaga RRS, Susanti Y. Correlation of the number of steps with body mass index in students of the Faculty of Medicine, Islamic University of Bandung. *Medical Proceedings*. 2021; 7(1). Available: <http://dx.doi.org/10.29313/kedokteran.v7i1.26718>
  41. Djunet NA. The increase of student obesity rates during online learning in medical students. In Nurdianty H. (Eds.): *ICCVd 2021, AHSR*. 2023;52:336-44. Available: [https://doi.org/10.2991/978-94-6463-048-0\\_39](https://doi.org/10.2991/978-94-6463-048-0_39)
  42. Khotibuddin M. The RELATIONSHIP between depression and eating behavior on overweight medical students. *Mutiara Medika*. 2017;17(1):42-50
  43. Adiarto AB. The Relationship between Stress and Obesity in Students of the Faculty of Medicine, University of Wijaya Kusuma, Surabaya Class of 2015. Surabaya. Thesis. Wijaya Kusuma University Surabaya; 2015. Available: <https://erepository.uwks.ac.id/3478/1/abstrak%20pdf.pdf>
  44. Ganakin SV. The relationship between sleep quality and obesity in ukwms medical faculty students. Surabaya. Thesis. Widya Mandala Catholic University Surabaya; 2017. Available: <http://repository.wima.ac.id/id/eprint/13665/>
  45. Rachmawati E, Firdaningrum NE, Agoes A. Association of sleep duration with dietary intake, physical activity and obesity in medical student of The Islamic State University Maulana Malik Ibrahim of Malang. *Journal of Islamic Medicine*. 2012; 5(1):9-19. Available: <https://doi.org/10.18860/jim.v5i1.11674>
  46. Mahalingam S, Wihandani D. Prevalence of obesity and factors contributing to obesity among medical students in the Medical Faculty of Udayana University in 2016. *Digest of Medical Science*. 2018; 9(3):21-23. Available: <https://doi.org/10.1556/ism.v9i3.288>
  47. Cholidah R, Widiastuti IAE, Nurbaiti L, Priyambodo S. Description of diet, nutritional adequacy, and nutritional status of students at the Faculty of Medicine, University of Mataram, West Nusa Tenggara. *Digest of Medical Science*. 2020; 11(2):416-20. Available: <https://doi.org/10.15562/ism.v11i2.589>

48. Melvy Purwanti M, Putri EA, MI scientist, Wilson, Rozalina. The relationship between stress level and body mass index for PSPD FK UNTAN Students. *Health Vocational Journal*. 2017;3(2):47-56
49. Sari RP, Rotinsulu DJ, Fitriany E. Relationship between body mass index and waist circumference with sleep quality of pre-clinical students in Medical Study Program, Faculty of Medicine, Mulawarman University. *J. Case Science*. 2021;3(3):417-24. Available:<https://doi.org/10.25026/jsk.v3i3.327>
50. Ticoalu SHR, Wongkar D. Prevalence of obesity in students of the faculty of medicine, University of Sam Ratulangi Class of 2011. *Journal of Biomedicine*. 2012;4(3):Suppl:S83-92.
51. Sakina DK. Description of the Determinant Factors of Vitamin D Status in Tadulako University Medical Students. Hammer. Thesis. Tadaluko University; 2021. Available:[https://estd.perpus.untad.ac.id/login/mhsw\\_detil/N10117046](https://estd.perpus.untad.ac.id/login/mhsw_detil/N10117046)
52. Rajab NLS. Overnutrition Status of Hasanuddin University Medical Education Students Batch 2017-2019. Macassar. thesis. Hasanuddin University; 2020. Available:<http://repository.unhas.ac.id/id/ep rint/1240>
53. Bill AAM. The relationship between fast food consumption and the incidence of obesity in students of the medical education study program, Faculty of Medicine and Health Sciences, University of Muhammadiyah Makassar Class of 2019. Makassar. Thesis. Muhammadiyah University; 2020. Available:[https://digilibadmin.unismuh.ac.id/upload/19543-Full\\_Text.pdf](https://digilibadmin.unismuh.ac.id/upload/19543-Full_Text.pdf)
54. Ramandei E, Pesurnay Y, Pinem O, Irmayanti, Darwin D. The relationship between body mass index and grasping strength in students of the medical education study program, Faculty of Medicine, University of Papua. *Indonesian Health Magazine*. 2022;3(2):43-8.
55. Templin T, Cravo Oliveira Hashiguchi T, Thomson B, Dieleman J, Bendavid E. The overweight and obesity transition from the wealthy to the poor in low- and middle-income countries: A survey of household data from 103 countries. *PLoS Med*. 2019; 16(11):e1002968. Available:<https://doi.org/10.1371/journal.p med.1002968>
56. Vogel L. Medical school weight gain understudied. *CMAJ*. 2019;191(41): E1145. Available:<https://doi.org/10.1503/cmaj.109 5818>.
57. Al-Asadi J. Perceived stress and eating habits among medical students. *International Journal of Medicine and Pharmaceutical Sciences (IJMPS)*. 2014; 4:81-90.
58. Schneider D, Harknett K. Consequences of routine work-schedule instability for worker health and well-being. *American Sociological Review*. 2019;84(1):82-114. Available:<https://doi.org/10.1177/00031224 18823184>
59. Saleh-Ghadimi S, Dehghan P, Abbasalizad Farhangi M, et al. Could emotional eating act as a mediator between sleep quality and food intake in female students?. *BioPsychoSocial Med*. 2019;13:15. Available:<https://doi.org/10.1186/s13030- 019-0154-3>
60. Grajek M, Krupa-Kotara K, Bialek-Dratwa A, Staśkiewicz W, Rozmiarek M, Misterska E, Sas-Nowosielski K. Prevalence of emotional eating in groups of students with varied diets and physical activity in Poland. *Nutrients*. 2022;14(16):3289. Available:<https://doi.org/10.3390/nu14163 289>
61. Raspopow K, Matheson K, Abizaid A, Anisman H. Unsupportive social interactions influence emotional eating behaviors. The role of coping styles as mediators. *Appetite*. 2013;62:143-9. Available:<https://doi.org/10.1016/j.appet.20 12.11.031>
62. Indonesian Map/Peta Indonesia. Available:<https://berita.99.co/wp- content/uploads/2023/01/peta- indonesia.jpg>
63. van Panhuis WG, Paul P, Emerson C. A systematic review of barriers to data sharing in public health. *BMC Public Health*, 2014; 14: 1144. Available:<https://doi.org/10.1186/1471- 2458-14-1144>
64. Roundtable on Environmental Health Sciences, Research, and Medicine; Board on Population Health and Public Health Practice; Health and Medicine Division; National Academies of Sciences, Engineering, and Medicine. Principles and Obstacles for Sharing Data from Environmental Health Research: Workshop Summary. Washington (DC):

National Academies Press (US); Issues and Challenges Associated with Data Sharing. 2016;4, Available:<https://www.ncbi.nlm.nih.gov/books/NBK362423/>

65. Mehmood Y, Al-Swailmi FK, Al-Enazi SA. Frequency of obesity and comorbidities in medical students. Pak J Med Sci. 2016;32(6):1528-1532. DOI: 10.12669/pjms.326.10492

© 2023 Diani et al.; This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

*Peer-review history:*

*The peer review history for this paper can be accessed here:*  
<https://www.sdiarticle5.com/review-history/99826>